







Product Type: Standard intermediate relay

Product Name: SGB-RPS-2C

Product Description: Direct patch cord, isolated, universal electromagnetic relay base, 12A,2C

Product Size



Parameters

| | |
|------------------------------------|----------------------|
| ⚙️ SUPU ID | SGB-RPS-2C |
| ⚙️ Protection Level | IP20 |
| ⚙️ Ambient temperature (operation) | -40°C~+85°C |
| ⚙️ Mounting Type | DIN 35 rail mounting |

| | |
|---------------------------|---------------------------|
| ☞ Color | Black |
| ☞ Connection method | Push-in spring connection |
| ☞ Contact connection type | 2C |

Technical data

| | |
|------------------------|-----------------------|
| ☞ IEC Rated Current | 12A |
| ☞ IEC Rated Voltage | 300V |
| ☞ Overvoltage category | II |
| ☞ Degree of pollution | 2 |
| ☞ Stripping length | 10-12/0.43Pin |
| ☞ Wire Range | 22-14/0.25-2.5AWG/mm2 |
| ☞ Screw torque | / |

Commercial data

| | |
|--------------------------|------------|
| ☞ Order No | SGB-RPS-2C |
| ☞ Packing unit | PCS |
| ☞ Minimum order quantity | 10 |
| ☞ Single piece weight | 46 |

Ningbo SUPU Electronics Co., Ltd.

Address: No. 150, Xinxing 4th Road, High-tech Industrial Development Zone,

Cixi City, Zhejiang Province, China

Zip code: 315303

Switchboard: +86 574-63288158

Fax: +86 574-63288170

E-mail:supucontact@supu.cn

Ningbo SUPU Electronics Co., Ltd.

Service Hotline: 400-626-6336



Wechat

Date:2026-03-02 09:51

The right to modify data belongs to SUPU.