




Product Type: Bolt Connection

## Product Name:TBO6-2-GY

Product Description: Connection method:Bolt connection,IEC Rated Current:125A,IEC Rated Voltage:1000V,Number of connections:2,Number of levels:1

### Product Size



### Parameters

⌘ SUPU ID	TBO6-2-GY
⌘ Width	27mm
⌘ Number of levels	1
⌘ Number of connections	2

☞ Connection method	Bolt connection
☞ Protection Level	IP20
☞ Insulation material	PA66
☞ Insulation material group	I
☞ Contact material	Copper alloy
☞ Contact plating	Sn,Plated
☞ Ambient temperature (operation)	-40°C~105°C
☞ Ambient temperature (assembly)	-5°C~70°C
☞ Ambient temperature (storage)	-25°C~60°C
☞ Permissible humidity (storage/transport)	30%~70%

## Technical data

☞ IEC Rated Current	125A
☞ IEC Rated Voltage	1000V
☞ Overvoltage category	III
☞ Degree of pollution	3
☞ Rated impulse voltage	2.5KV
☞ Conductor cross section flexible	2.5-35mm <sup>2</sup>
☞ Locking screw Specification	M6
☞ Locking screw torque	3.2-3.7N.m
☞ Use group	B/C/D
☞ Rated cross section	12-2AWG
☞ UL Rated Current	115A/115A/-
☞ UL Rated Current	600V/600V/-

☞ Order No

TB06-2-GY

## Ningbo SUPU Electronics Co., Ltd.

Address: No. 150, Xinxing 4th Road, High-tech Industrial Development Zone,  
Cixi City, Zhejiang Province, China

Zip code: 315303

Switchboard: +86 574-63288158

Fax: +86 574-63288170

E-mail:supucontact@supu.cn

Service Hotline: 400-626-6336



Wechat