




Product Type: M12 Moulded Connector

Product Name: M12A05Z-
MMSST-UC001B

Product Description: M12 A-code, 5pole male straight connector, unshielded, with 1 meter black PVC cable

Product Size



Parameters

| | |
|-----------------------|---------|
| SUPU ID | M12 |
| Number of connections | 5 |
| Protection Level | IP67 |
| Thread type | M12X1.0 |

| | |
|------------------------|------------------|
| ☞ Category | male |
| ☞ Product type | Moulded,straight |
| ☞ Coding | A |
| ☞ Connection method | 预铸成型式 |
| ☞ Shielded | NO |
| ☞ Mechanical endurance | ≥100 |
| ☞ Standards | IEC61076-2-101 |

Technical data

| | |
|----------------------------|------------|
| ☞ IEC Rated Current | 4A |
| ☞ IEC Rated Voltage | 60V DC |
| ☞ Insulation Resistance | ≥100MΩ |
| ☞ Contact resistance | <10mΩ |
| ☞ Contact/surface material | CuSn/Ni/Au |
| ☞ Contact carrier material | TPU |
| ☞ Screw/nut material | Zinc |
| ☞ Sealing material | NBR |
| ☞ Cable length | 1 |
| ☞ Outer sheath, material | PVC |
| ☞ External sheath, color | Black |

Commercial data

| | |
|----------------|----------------------|
| ☞ Order No | M12A05Z-MMSST-UC001B |
| ☞ Packing unit | PCS |

Ningbo SUPU Electronics Co., Ltd.

Address: No. 150, Xinxing 4th Road, High-tech Industrial Development Zone,

Cixi City, Zhejiang Province, China

Zip code: 315303

Switchboard: +86 574-63288158

Fax: +86 574-63288170

E-mail:supucontact@supu.cn

Service Hotline: 400-626-6336



Wechat