


Product Type: M8 Panel Mounting Connector

Product Name:M8B05C-FRHC-UC0.5

Product Description: M8B panel female 5-core ,board mounted,M8*0.75,with 0.5 m electronic wire

Product Size



Parameters

☞ SUPU ID	M8
☞ Number of connections	5
☞ Protection Level	IP67
☞ Operating temperature range	-40~+85°C

⌘ Mounting Type	Rear Mounting
⌘ Color	Black
⌘ Core number	5
⌘ Thread type	M8X0.75
⌘ Category	Female
⌘ Product type	B
⌘ Coding	B
⌘ Connection method	Cup Port
⌘ Mechanical endurance	100
⌘ Standards	IEC61076-2-104

Technical data

⌘ IEC Rated Current	3A
⌘ IEC Rated Voltage	30 VAC / 30 VDC
⌘ Degree of pollution	3
⌘ Insulation Resistance	$\geq 100\text{M}\Omega$
⌘ Contact resistance	$< 10\text{m}\Omega$
⌘ Contact/surface material	CuSn/Ni/Au
⌘ Contact carrier material	PA
⌘ Screw/nut material	CuZn
⌘ Sealing material	NBR
⌘ Cable length	0.5
⌘ 导线材料	PVC

Commercial data

☞ Order No	M8B05C-FRHC-UC0.5
☞ Packing unit	PCS
☞ Minimum order quantity	1

Ningbo SUPU Electronics Co., Ltd.

Address: No. 150, Xinxing 4th Road, High-tech Industrial Development Zone,
Cixi City, Zhejiang Province, China

Zip code: 315303

Switchboard: +86 574-63288158

Fax: +86 574-63288170

E-mail:supucontact@supu.cn

Service Hotline: 400-626-6336



Wechat