

Product Type: Plug-in terminal-Socket

Product Name:MC-PD5.08V03-F-0001

Product Description: Pitch: 5.08mm Rated Voltage：320V Rated Current: 8A

colour：customizable

Product Size



Parameters

SUPU ID	MC-PD5.08V03-F-0001
Pitch	5.08
Number of levels	Single layer
Number of connections	3

Connection method	-
Protection Level	IP20
Operating temperature range	-40~+105°C
Insulation material	PA66
Insulation material group	I
Contact material	Copper alloy
Contact plating	Sn,Plated
Color	Green/Black/Blue/Grey/Orange/Red

Technical data

IEC Rated Current	320V
IEC Rated Voltage	8A
Overvoltage category	III III II
Degree of pollution	3 2 2
Rated impulse voltage	4.0KV 4.0KV 4.0KV
UL Rated Current	8A - 8A
UL Rated Voltage	300V - 300V
Use group	B/C/D

Commercial data

Order No	MC-PD5.08V03-F-0001

Ningbo SUPU Electronics Co., Ltd.

Address: No. 150, Xinxing 4th Road, High-tech Industrial Development Zone,
Cixi City, Zhejiang Province, China
Zip code: 315303
Switchboard: +86 574-63288158
Fax: +86 574-63288170
E-mail:supucontact@supu.cn
Service Hotline: 400-626-6336

Wechat

The right to modify data belongs to SUPU.